




FIG. 1a





COMMINSTS . CANDITOL








FIG. 3



7/24

405
CLASS 410
SPECIFICITY 412
CATEGORY 414
ID <u>416</u>
VALUE <u>418</u>
VALUE CODE 420
MODIFIER 422

FIG. 4a




FIG. 4b




FIG. 4c

ESSENTIAL ELEMENT ID 436

CONCLUSION 438

CONCLUSION ID 440

U VALUE 442

i VALUE 444

VALUE CODE 446

MODIFIER 448

FIG. 4d




FIG. 5a

505
PATIENT ID 521
LAST NAME 523
FIRST NAME 529
MIDDLE NAME 527
DATE OF BIRTH 529
STREET ADDRESS 531
CITY <u>533</u>
STATE <u>535</u>
TELEPHONE 537

FIG. 5b

CLAIM ID <u>539</u>

PATIENT ID <u>540</u>

CLAIM NUMBER <u>541</u>

PAYOR ID <u>543</u>

ADJUSTOR ID <u>545</u>

FIG. 5c




FIG. 5d




FIG. 5e

ELEMENT 10 563

EVENT ID 565

ESSENTIAL ELEMENT ID 567


CLAIM ID 569


ACT ID 571


DATE 573


EVENT SOURCE ID 575


FIG. 5f












CALCULATION OF CLINICAL CONCLUSIONS



Λ RATIO VALUES
"BEST CASE" SCENARIO = 1.00
SAMPLE = 0.56
SAMPLE = 0.23

FIG. 8b

FIG. 9a

